



**HANGLORY** | **HandTOP**

# HTH3200UV-Turbo

High-speed Wide-format RTR Printing Solution | UV RTR Printer



Max. Productivity: **156 m<sup>2</sup>/h**

Printhead : **Kyocera**

Max. Print Width: **3200 mm**



Rendering

- **Single & Double Roll Printing System**

Supports single roll or dual-roll printing, satisfies various printing demands; save time and labor costs, improve productivity.

The highest capacity reaches 156m<sup>2</sup>/h (1.7 m/s) .

Applied with water-cooling platform and adjustable suction design.

- **New Design Combines Art & Industry**

Fully enclosed structure + Strong frame structure+Individual stunning computer console

The equipment is more robust and stylish.

- **Mesh Printing Technology (Optional)**

Special design with mesh kit , optional for customer to print mesh.

- **Safety Curtain System**

Take-up system configured with infrared safety curtain protect equipment from damage , ensure safe operation.

## Technical Parameters:

Model		HTH3200UV-Turbo	
Printing Information			
Printhead		Kyocera	
Number of Printheads		4-12 pcs	
Resolution		363*3600 DPI	
Productivity	Draft Mode	156 m²/h	
	Production Mode	115 m²/h	
	Quality Mode	82 m²/h	
Printing Modes		Unidirectional & Bidirectional	
Media & Ink			
Max. Print Width		3200 mm	
Max. Media Thickness		2 mm	
Media		A wide variety of roll printing materials in terms of soft film、coated banner, car wrapping, flex banner etc.	
Ink Type		Eco-friendly UV-curable ink (VOC-free)	
Ink Colors		CMYK、Lc、Lm、W	
Software & Functions			
Curing		LED Curing (adjustable power)	
Transfer		High-speed PCIE	
RIP		Caldera	
Input		PDF, JPEG, TIFF, EPS, AI.....	
Dimensions & Weight			
Machine Dimensions		5985 * 1850 * 1900 mm (L*W*H)	
Net Weight		2800 KG	
Gross Weight		3600 KG	
Power & Environment			
Power Consumption		8.7 kW (38A)	
Power Supply		230VAC 50Hz P/N/PE	
Environmental Requirements		Independent, clean, low-dust, low-light workspace with good ventilation	
		Operating Temperature: 18°C ~ 30°C (64°F ~ 86°F)	
		Relative Humidity: 30% ~ 70% (non-condensing)	

## Industrial Digital Inkjet Comprehensive Solution Provider



Independent  
printhead-drive  
technology



Self-developed  
control system



Self-developed  
MES system



Independent ink  
industrial chain



Remote service  
maintenance system  
and local services

**Shenzhen HandTop Tech Co., Ltd.**

[www.hanglorygroup.com](http://www.hanglorygroup.com)

Add: Baolong 3rd Road and Gaoke Avenue Intersection, Longgang District, Shenzhen, Guangdong

Tel: (+86)0755-2308 0896

Fax: (+86)0755-2321 7841

E-mail: [info@hanglorygroup.com](mailto:info@hanglorygroup.com)

©Descriptions, illustrations and specifications here of are subject to change without prior notice. Final details shall be subject to contract signed.



V1.0/2025